
Sven Bölte · Joachim Hallmayer (Editors)

Autism Spectrum Conditions

FAQs on Autism, Asperger Syndrome, and Atypical Autism Answered by International Experts







Autism Spectrum Conditions

FAQs on Autism, Asperger Syndrome, and Atypical Autism Answered by International Experts

Sven Bölte Joachim Hallmayer (Editors)



Library of Congress Cataloging information for the print version of this book is available via the Library of Congress Marc Database

Cataloging data available from Library and Archives Canada

© 2011 by Hogrefe Publishing http://www.hogrefe.com

PUBLISHING OFFICES

USA: Hogrefe Publishing, 875 Massachusetts Avenue, 7th Floor, Cambridge, MA

02139

Phone (866) 823-4726, Fax (617) 354-6875;

E-mail customerservice@hogrefe-publishing.com

EUROPE: Hogrefe Publishing, Rohnsweg 25, 37085 Göttingen, Germany

Phone +49 551 49609-0, Fax +49 551 49609-88,

E-mail publishing@hogrefe.com

SALES & DISTRIBUTION

USA: Hogrefe Publishing, Customer Services Department,

30 Amberwood Parkway, Ashland, OH 44805 Phone (800) 228-3749, Fax (419) 281-6883, E-mail customerservice@hogrefe.com

UK: Hogrefe Publishing c/o Marston Book Services Ltd, PO Box 269,

Abingdon, OX14 4YN, UK

Phone +44 1235 465577, Fax +44 1235 465556,

E-mail direct.orders@marston.co.uk

EUROPE: Hogrefe Publishing, Rohnsweg 25, 37085 Göttingen, Germany

Phone +49 551 49609-0, Fax +49 551 49609-88,

E-mail publishing@hogrefe.com

Copyright Information

The e-book, including all its individual chapters, is protected under international copyright law. The unauthorized use or distribution of copyrighted or proprietary content is illegal and could subject the purchaser to substantial damages. The user agrees to recognize and uphold the copyright.

License Agreement

The purchaser is granted a single, nontransferable license for the personal use of the e-book and all related files.

Making copies or printouts and storing a backup copy of the e-book on another device is permitted for private, personal use only.

Other than as stated in this License Agreement, you may not copy, print, modify, remove, delete, augment, add to, publish, transmit, sell, resell, create derivative works from, or in any way exploit any of the e-book's content, in whole or in part, and you may not aid or permit others to do so. You shall not: (1) rent, assign, timeshare, distribute, or transfer all or part of the e-book or any rights granted by this License Agreement to any other person; (2) duplicate the e-book, except for reasonable backup copies; (3) remove any proprietary or copyright notices, digital watermarks, labels, or other marks from the e-book or its contents; (4) transfer or sublicense title to the e-book to any other party.

These conditions are also applicable to any audio or other files belonging to the e-book.

Format: PDF

ISBN 978-1-61676-393-0

Table of Contents

Prefa	ace ix
Secti	on 1: Characteristics, Identification, and Diagnosis
Q1	What Are ASC? Peter Szatmari
Q2	What Are the Most Common Characteristics of ASC? Peter Szatmari8
Q3	What Are the Differences (and Similarities) Between Autism,
	Asperger Syndrome, and PDD-NOS? Fred R. Volkmar
Q4	Why Is It Important to Differentiate Between High- and Low- Functioning ASC? <i>Sven Bölte</i>
Q5	What Are the First Signs of ASC? <i>Tony Charman</i>
Q6	At What Age Can ASC Be Detected? <i>Tony Charman</i>
Q7	Is Autism a Common Personality Trait? <i>John N. Constantino</i> 24
Q8	What Are Idiopathic and Syndromal Variants of ASC?
	Brett Abrahams
Q9	What Is Neurodiversity? Sven Bölte
Q10	What Is a Savant? Sven Bölte
Q11	Do Autistics Have Cognitive Strengths? Should ASC Be Defined as Disorders? <i>Michelle Dawson & Laurent Mottron</i>
Secti	on 2: Diagnosing Autism
Q12	How Are ASC Diagnosed? Carl Feinstein
Q13	What Are the Essential Aspects of ASC Assessment? Carl Feinstein
Q14	Who Diagnoses ASC? Who Are the ASC experts? Sven Bölte
Q15	Are There Reliable Biological Tests to Diagnose ASC? Roberto Tuchman
Q16	What Role Does Comparative Genomic Hybridization (CGH) Play in ASC? <i>Jonathan A. Bernstein</i>
Q17	Which Diagnoses Might Be Confused with ASC? Michele Noterdaeme
Secti	on 3: Frequency
Q18	How Frequent Are ASC in the General Population? <i>Eric Fombonne</i> 61
Q19	Does the Frequency of ASC Vary Depending on Region, Ethnicity, or Socioeconomic Status? <i>Li-Ching Lee</i>
Q20	Is There an Epidemic of ASC Sven Bölte

Section 4: Development and Outcome
Q21 Why Are ASC Defined as Developmental Disorders? Sven Bölte 69
Q22 Do Children With an ASC Develop Normally During Early
Childhood? Lonnie Zwaigenbaum & Viviana Enseňat
Q23 When Do ASC Become Apparent?
Lonnie Zwaigenbaum & Viviana Enseňat
Q24 Do the Characteristics of ASC Change Across a Lifetime?
Joachim Hallmayer, Antonio Hardan, Wes Thompson,
& Ruth O'Hara
Q25 Are ASC Chronic Conditions? <i>Digby Tantam</i>
Q26 Can People With ASC Live Independently as Adults?
William M. McMahon & Megan A. Farley
Patricia Howlin
Q28 Is Mortality Increased in Individuals With ASC?
Svend Erik Mouridsen
Section 5: Causes and Risk
Q29 Are ASC Genetic Disorders? <i>Joachim Hallmayer</i>
Q30 What is the Broader Autism Phenotype?
Jeremy Parr & Ann Le Couteur98
Q31 Can ASC Be Caused by Environmental Factors?
Irva Hertz-Picciotto
Q32 Can Prenatal Factors Cause ASC? <i>Mina Hah</i>
Q33 How Do Genetic and Environmental Factors Interact in ASC?
Irva Hertz-Picciotto
Q34 Is the Immune System Involved in ASC? Ruth O'Hara, Rabindra
Tirouvanziam, Antonio Hardan, & Joachim Hallmayer
Q35 Can Vaccinations Cause ASC? Susan E. Folstein
Q36 Is the Structure of the Brain of Individuals With ASC Different? Nancy Minshew
Q37 What Is Known About Brain Functions in Individuals With ASC?
Isabel Dziobek
Q38 What Are Executive Functions? <i>Marjorie Solomon</i>
Q39 What is "Weak Central Coherence"? Francesca Happé
Q40 What Is Theory of Mind, and Is It Impaired in ASC?
Simon Baron-Cohen
Q41 Can Bad Parenting Cause ASC? <i>Rita Jordan</i>
Section 6: Treatment of ASC
Q42 What Can Be Achieved by Treatment in ASC? Patricia Howlin 143
Q43 How Can Outcome Be Measured in ASC? Patricia Howlin 146

Q44 Are There Any General Criteria for Good Treatments of ASC? Susanne Nuβbeck	50
Q45 What Are Evidence-Based Treatments?	
Scott O. Lilienfeld & James D. Herbert	53
Q46 Is There a Standard Treatment for All Individuals With ASC?	
Wendy Froehlich & Linda Lotspeich15	6
Q47 What Are the Best Scientifically Proven Interventions for ASC? Wendy Froehlich & Linda Lotspeich	58
Q48 Which ASC Treatments Are Ineffective or Lack a Sound	
Evidence Base? <i>Patricia Howlin</i>	52
Q49 Which ASC Treatments May Cause Harm? <i>Patricia Howlin</i> 16	4
Q50 Why Is Early Intervention Important in ASC?	
Zachary Warren & Wendy L. Stone	57
Section 7: Specific Treatment Approaches in ASC	
Q51 How Can the Behavior Challenges of Individuals with ASC Be	
Managed in Everyday Life? Vera Bernard-Opitz	13
Q52 What is the Best Way to Treat Self-Injury, Aggression, and	
Stereotypy in ASC? James K. Luiselli	7
Q53 What Sleep Problems Are Common in Children with ASC, and How Can They Be Treated? <i>Ruth O'Hara & Carmen M. Schröder</i> 18	30
Q54 How Can Feeding Problems in ASC Be Treated?	
Richard M. Foxx & Keith E. Williams	34
Q55 What Is Applied Behavior Analysis (ABA)? <i>Richard M. Foxx</i> 18	37
Q56 What Is TEACCH? Simonetta Panerai	0
Q57 What Is the Picture Exchange Communication System (PECS)? Twyla Y. Perryman & Paul J. Yoder) 4
Q58 What Is Social Skills Training? <i>Rhea Paul</i>	8
Section 8: Pharmacological Treatments of ASC	
Q59 What Is the Value of Medication in ASC?	
L. Eugene Arnold, Michael Aman, & Benjamin Handen)3
Q60 When Are Psychiatric Medications Used in the Treatment of ASC?	
Wendy Froehlich, Linda Lotspeich, & Antonio Y. Hardan)7
Q61 Are Antipsychotic Medications Useful in ASC?	
Lovina Chahal & Antonio Y. Hardan	1
Q62 Are Antidepressants Useful in ASC?	
Lovina Chahal & Antonio Y. Hardan	4
Q63 Are Stimulants Useful in ASC? L. Eugene Arnold, Michael Aman,	
& Benjamin Handen	7
Q64 Are Nutritional Supplements or Special Diets Useful in ASC?	
Svan Rölta	n

Section 9: School, Education, Employment, and Independent Living			
Q65 What Kinds of Problems Do Individuals with ASC Encounter			
in School? Lara Delmolino	.225		
Q66 Which Form of Education Is Best for Individuals with ASC?			
Sandra L. Harris	.228		
Q67 Are There Special Schools for People with ASC? Sandra L. Harris.	.231		
Q68 When Should People with ASC Move Out of the Family Home? Sandra L. Harris	.233		
Q69 What Kinds of Jobs and Professions Are Conceivable for People with ASC? <i>Matthias Dalferth</i>	.235		
Q70 What Problems are Encountered by People with ASC When Looking for a Job? <i>Luitgard Stumpf</i>	.238		
Q71 What Can Help People with ASC Find and Keep Employment?	.241		
Q72 What Forms of Living Are Useful and Available for Adults with ASC? Sigan L. Hartley & Marsha Mailick Seltzer	.245		
Section 10: Legal Issues, Organizations, and Resources			
Q73 What Rights Do People with ASC and Their Families Have? Autism Europe	.251		
Q74 Which Organizations Help People with ASC and Their Families? Autism Europe	.255		
Q75 Are There Self-Help Organizations for Autistic People Run by	.257		
Q76 Which Organizations Seek to Enhance ASC Research? Sven Bölte	.261		
Q77 Where Do I Find the Latest Information on Progress in ASC Research? Sven Bölte			
Q78 Where Do I Find Helpful Links on the Web? <i>Autism Europe</i>			
Appendix			
Contributors	.271		
Abbreviations & Acronyms	281		

Preface

Autism spectrum conditions (ASC) are characterized by limited social reciprocity and thus constitute a substantial public health problem in a world of high social demands. It is now recognized that about 1% of the general population is functionally affected by an ASC. Thus, ASC are not rare conditions and they pose challenges to society, experts, families, and people with ASC themselves. Awareness of and knowledge about ASC has increased tremendously in recent years. Nevertheless, the roots of ASC remain enigmatic, effective intervention options are limited, and outcome as well as quality of life are still low for many people on the spectrum. In addition, many myths and misconceptions about ASC survive.

Countless books have been published on ASC. This volume is novel and unique in bringing together several qualities. It combines 78 contributions from 66 internationally leading clinical and research experts and autism organizations from North America and Europe, thus providing a broad, state-of-the-art view on research and practice in dealing with ASC. The book has a FAQ format that communicates current knowledge on ASC in a well-structured and concise way. It has been written with the clear aim of making it a readable and informative resource for laypersons as a well as experts. Organized in 10 sections, this book includes everything essential you need to know about the symptoms, diagnoses, frequency, possible causes, treatments, education issues, and outcomes in ASC.

Our sincerest thanks to all who made this book possible. And, as always, our best wishes to all people with ASC and their families.

Sven Bölte, Karolinska Institutet, Stockholm, Sweden Joachim Hallmayer, Stanford University, CA, USA



Section 1

Characteristics, Identification, and Diagnosis



Q1 What Are ASC?

Peter Szatmari

The ASC are a group of neurodevelopmental disorders characterized by impairments across the so-called "autistic triad." These include difficulties with reciprocal social interaction and with verbal and nonverbal communication as well as a preference for repetitive, stereotyped activities, patterns of behaviors, and interests. The age of onset is always prior to 36 months, which is an important characteristic that differentiates ASC from other neuropsychiatric or developmental disorders. The ASC are more common than previously thought and have a prevalence of between 0.5 and 1% (Autism and Developmental Disabilities Monitoring Network, 2009). ASC are treatable using strategies that are intensive, based on behavioral principles, and focus on improving IQ, language, social communication, and play (National Research Council, 2001).

Leo Kanner, a child psychiatrist at Johns Hopkins University, first described 11 children with what he called "infantile autism" in 1944 (Kanner, 1968). These children had difficulties with social communication and presented with patterns of restricted interests and insistence on sameness. However, over the ensuing years, the meaning of the term "autism" became somewhat diluted until more precision was introduced in 1980 with the publication of DSM-III (APA, 1980). In that classification system, the term "pervasive developmental disorders (PDD)" was introduced to describe a group of conditions, all of which are characterized by the autistic triad. PDD included autism, as well as other subtypes. In DSM-IV, there are five subtypes of PDD: autistic disorder, Asperger disorder, PDD not otherwise specified (PDD-NOS), childhood disintegrative disorder, and Rett disorder (APA, 1994).

Asperger disorder is diagnosed in children with ASC who do not present with clinically significant cognitive or language delay. This is usually operationalized as IQ in the typical range and speaking in phrases (spontaneously and functionally) by 3 years of age. In addition, there is a hierarchical relationship between autism and Asperger disorder in that, if a child meets criteria for the former, he cannot meet criteria for the latter (APA, 1994). Children with Asperger disorder, therefore, are usually higher functioning and verbally fluent but with poor conversation skills, and have poor social skills as well as a circumscribed range of interests that are pursued to an unusual degree of intensity and usually alone (rather than as part of a social group) (see Szatmari, 2000; Frith, 2004).

Children with PDD-NOS present with ASC symptoms but do not meet the criteria for either autism or Asperger disorder. It was intended to be used as a leftover category and applied to only a small number of children. This has not turned out to be the case as community studies indicate that a substantial proportion of children with ASC are diagnosed with PDD-NOS, not autism or Asperger disorder (Chakrabarti & Fombonne 2001). Children with PDD-NOS often receive that diagnosis because they are too young to demonstrate many repetitive behaviors, too low functioning to be able to assess communication impairments in excess of developmental level, or too high functioning (or older) and so not demonstrating many impairments in social communication (Walker et al., 2004). Nevertheless, the ability of clinicians to distinguish between PDD-NOS and autism is quite poor (Mahoney et al., 1998) and often results from a lack of information available to the clinician, either from the parent, from direct observation, or from a third source, such as a teacher.

The term PDD has slowly been supplanted by the more commonly used term "autism spectrum disorder" or "autism spectrum condition." This arises from the observation that it is very difficult to differentiate the different subtypes of PDD and it appears, based on current evidence, that the distinctions among these subtypes are not only difficult to make but carry little useful clinical information (for a review see Macintosh & Dissanayake, 2004; Van Lang et al., 2006). The American Psychiatric Association Neurodevelopmental Disorders Work Group developing DSM-V proposes a single term, autism spectrum disorder, to cover all 5 current PDD subtypes (see www.dsm5.org).

It has been clear since the 1970s that autism is caused by biological factors affecting brain development. The first indication of this was the observation that there are approximately 4 boys to every girl with the disorder and that a substantial minority of children with autism also have neurological problems, such as epilepsy, or other medical disorders (Spence & Schneider, 2009). More recently, it has become apparent that genetic factors play an important role in ASC (Weiss, 2009). Approximately 10% of children with ASC have a comorbid single gene disorder, such as fragile X syndrome or tuberous sclerosis. Perhaps as many as another 10% have chromosomal abnormalities (i.e., large duplications, translocations, insertions, and/or deletions) that can be seen under the microscope with routine karyotyping. More subtle genomic or chromosomal abnormalities (known as "copy number variants") are currently being discovered and may apply to a further proportion of individuals with ASC (Merikangas, Corvin, & Gallagher, 2009). Whether more common genetic factors cause ASC is currently not known; however, this is an active area of investigation.

Although there has been quite a bit of research into possible environmental factors that may cause ASC, this has not led to many positive findings (Newschaffer et al., 2002). It is unlikely that environmental factors cause autism in the absence of genetic susceptibility. Perhaps the strongest evidence for environmental etiology comes from maternal use of anticonvulsants (i.e., a mother taking valproic acid during pregnancy), which is associated with an increase in births with ASC (Ornoy, 2009). Extreme prematurity (Limperopoulos, 2009), *in vitro* fertilization (Hvidjtorn et al., 2009), and advanced parental age (King, Fountain, Dakhlallah, & Bearman, 2009), are also factors associated with envi-

ronmental variables that may be associated with ASC, but these data need to be replicated and more strongly confirmed.

It is also quite clear that a number of biological factors that have been promoted in the media and actively investigated are not involved in the etiology of ASC. These include vaccinations, unusual diet, infections of various sorts, and the so-called "leaky gut."

While it is well known that the majority of individuals with ASC have a poor outcome (Howlin Goode, Hutton, & Rutter, 2004), this picture may shift as the diagnostic criteria broaden to include more higher-functioning individuals, and as universally accessible, early intensive behavioral interventions become available. It is true that recovery can occur in a small number of cases, perhaps as many as 5% (Helt et al., 2008). Most children with ASC show slow but steady improvement in autistic behaviors and in social and communication skills (Bennett et al., 2008). It must be emphasized, though, that outcome is extremely variable, and some individuals with ASC need an extraordinary amount of support, not only in adolescence but also in adulthood (Billstedt, Gillberg, & Gillberg, 2007; Hofvander et al., 2009). The strongest predictors of a positive outcome are early language and average cognitive skills (Szatmari, Bryson, Boyle, Streiner, & Duku, 2003). However, even individuals with these positive prognostic factors may have a poor outcome.

It is true that we have learned a great deal about ASC in the last 20 years. The profession used to think of autism as a psychotic disorder caused by poor maternal-child attachment patterns, with a very poor outcome, and as basically untreatable. This picture has changed dramatically, and it is anticipated that the next 20 years of research will bring even more positive advances. A key challenge will be bringing down the age of diagnosis so that children are able to access intervention earlier than they currently do. At present, the average age at which a child is diagnosed in North America is between 4 and 5 years of age (Mandell, Novak, & Zubritsky, 2005). However, parents first become concerned about the development of their children at around 18 months of age (Zwaigenbaum, 2010). This gap indicates that children are not receiving any services in the meantime and may not benefit from that window of opportunity. Another exciting development is the possibility that, as we gain a greater understanding of the genetic factors that contribute to ASC, more targeted biomedical treatments can be developed that may perhaps reduce some of the cognitive-behavioral changes. Such possibilities are currently being explored in clinical trials and in animal models of fragile X syndrome (Hagerman et al., 2009) and Rett syndrome (Tropea et al., 2009). It is not inconceivable that such advances may be applied to ASC as well.

References

American Psychiatric Association (1980). *Diagnostic and Statistical Manual of Mental Disorders, 3rd edition (DSM-III)*. Washington, DC: American Psychiatric Association.

- American Psychiatric Association (1994). *Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM-IV)*. Washington, DC: American Psychiatric Association.
- Autism and Developmental Disabilities Monitoring Network Surveillance Year 2006 Principal Investigators; Centers for Disease Control and Prevention (CDC). (2009). Prevalence of autism spectrum disorders Autism and Developmental Disabilities Monitoring Network, United States, 2006. *MMWR* Surveillance *Summaries*, 58(10), 1–20.
- Bennett, T. A., Szatmari, P., Bryson, S. E., Volden, J., Zwaigenbaum, L., Vaccarella, L., ... Boyle, M. H. (2008). Differentiating autism and Asperger syndrome on the basis of language delay or impairment. *Journal of Autism and Developmental Disorders*, 38, 616–625.
- Billstedt, E., Gillberg, I. C., & Gillberg, C. (2007). Autism in adults: Symptom patterns and early childhood predictors: Use of the DISCO in a community sample followed from childhood. *Journal of Child Psychology and Psychiatry*, 48, 1102–1110.
- Chakrabarti, S., & Fombonne, E. (2001). Pervasive developmental disorders in preschool children. *Journal of the American Medical Association*, *285*, 3093–3099.
- Frith, U. (2004). Emmanuel Miller lecture: Confusions and controversies about Asperger syndrome. *Journal of Child Psychology and Psychiatry*, 45, 672–686.
- Hagerman, R. J., Berry-Kravis, E., Kaufmann, W. E., Ono, M. Y., Tartaglia, N., Lachiewics, A., ... Tranfaglia, M. (2009). Advances in the treatment of fragile X syndrome. *Pediatrics*, 123, 378–390.
- Helt, M., Kelley, E., Kinsbourne, M., Pandey, J., Boorstein, H., Herbert, M., & Fein, D. (2008). Can children with autism recover? If so, how? *Neuropsychological Reviews*, 18, 339–366.
- Hofvander, B., Delorme, R., Chaste, P., Nydén, A., Wentz, E., Ståhlberg, O., ... Leboyer, M. (2009). Psychiatric and psychosocial problems in adults with normal intelligence autism spectrum disorders. *BMC Psychiatry*, *9*, 35.
- Howlin, P., Goode, S., Hutton, J., & Rutter, M. (2004). Adult outcome for children with autism. *Journal of Child Psychology and Psychiatry*, 45, 212–229.
- Hvidjtorn, D., Schieve, L., Schendel, D., Jacobsson, B., Svaerke, C., & Thorsen P. (2009). Cerebral palsy, autism spectrum disorders and developmental delay in children born after assisted conception: A systematic review and meta-analysis. *Archives of Pediatrics & Adolescent Medicine*, 163, 72–83.
- Kanner, L. (1968). Autistic disturbances of affective contact. *Acta Paedopsychiatrica*, *35*, 100–136.
- King, M. D., Fountain, C., Dakhlallah, D., & Bearman, P. S. (2009). Estimated autism risk and older reproductive age. *American Journal of Public Health*, 99, 1673–1679.
- Limperopoulos, C. (2009). Autism spectrum disorders in survivors of extreme prematurity. *Clinical Perinatology*, *36*, 791–805.
- Macintosh, K. E., & Dissanayake, C. (2004). Annotation: The similarities and differences between autistic disorder and Asperger's disorder: A review of the empirical evidence. *Journal of Child Psychology and Psychiatry*, 45, 421–434.
- Mahoney, W. J., Szatmari, P., MacLean, J. E., Bryson, S. E., Jones, M. B., & Zwaigenbaum, L. (1998). Reliability and accuracy of differentiating pervasive developmental disorder subtypes. *Journal of the American Academy of Child and Adolescent Psychiatry*, 37, 278–285.
- Mandell, D. S., Novak, M. M., & Zubritsky, C. D. (2005). Factors associated with age of diagnosis among children with autism spectrum disorders. *Pediatrics*, *116*, 1480–1486.
- Merikangas, A. K., Corvin, A. P., & Gallagher, L. (2009). Copy-number variants in neurodevelopmental disorders: Promises and challenges. *Trends in Genetics*, 25, 536–544.

- National Research Council. (2001). Educating Children with Autism. Committee on Educational Interventions for Children with Autism. Washington, DC: National Academy Press
- Newschaffer, C. J., Fallin, D., & Lee, N. L. (2002). Heritable and nonheritable risk factors for autism spectrum disorders. *Epidemiologic Review, 24,* 137–153.
- Ornoy, A. (2009). Valproic acid in pregnancy: How much are we endangering the embryo and fetus? *Reproductive Toxicology*, 28, 1–10.
- Spence, S. J., & Schneider, M. T. (2009). The role of epilepsy and epileptiform EEGs in autism spectrum disorders. *Pediatric Research*, 65, 599–606.
- Szatmari, P. (2000). The classification of autism, Asperger's syndrome, and pervasive developmental disorder. *Canadian Journal of Psychiatry*, 45, 731–738.
- Szatmari, P., Bryson, S. E., Boyle, M. H., Streiner, D. L., & Duku, E. (2003). Predictors of outcome among high functioning children with autism and Asperger syndrome. *Journal of Child Psychology and Psychiatry*, 44, 520–528.
- Tropea, D., Giacometti, E., Wilson, N. R., Beard, C., McCurry, C., Fu, D. D., ... Sur M. (2009). Partial reversal of Rett syndrome-like symptoms in MeCP2 mutant mice. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 2029–2034.
- Van Lang, N., Boomsma, A., Sytema, S., Bildt, A., Kraijer, D., Ketelaars, C., & Minderaa, R. (2006). Structural equation analysis of a hypothesised symptom model in the autism spectrum. *Journal of Child Psychology and Psychiatry*, 47, 37–44.
- Walker, D. R., Thompson, A., Zwaigenbaum, L., Goldberg, J., Bryson, S. E., Mahoney,
 W. J.,... Szatmari, P. (2004). Specifying PDD-NOS: A comparison of PDD-NOS,
 Asperger syndrome, and autism. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43, 172–180.
- Weiss, L. A. (2009). Autism genetics: Emerging data from genome-wide copy-number and single nucleotide polymorphism scans. *Expert Reviews of Molecular Diagnostics*, *9*, 795–803.
- Zwaigenbaum, L. (2010). Advances in the early detection of autism. *Current Opinion in Neurology*, 23, 97–102.

What Are the Most Common Characteristics of ASC?

Peter Szatmari

Clinical experience has characterized ASC as a set of signs and symptoms that fall under three main categories: Impairments in reciprocal social interaction, impairments in verbal and nonverbal communication, and a pattern of repetitive, stereotyped behaviors, interests, and activities. While this has served as a very useful guidepost, more detailed measurement studies have somewhat changed this clinical picture (Snow, Lecavalier, & Houts, 2008; Lecavalier, Gadow, DeVincent, Houts, & Edwards, M., 2009). It is now generally thought that there are two main dimensions along which ASC children are placed (Georgiades et al., 2007). One is impairments in social communication, and the other is repetitive, stereotyped, behaviors. It has been shown, through measurement studies, that such children also have independent difficulties either with general cognitive skills or with more specific skills in one or two areas (Szatmari et al., 2002; Matson & Shoemaker, 2009; Fernell et al., 2010). Therefore, intellectual disability (ID) is seen in roughly 50% of individuals with autism and in 25% of those with ASC (Fombonne, 2005). Among those who do not have ID, some form of specific learning disability, either in reading, spelling, or mathematics or a nonverbal learning disability, is almost universally present (Jones et al., 2009).

Another universal characteristic of the disorder is that onset is prior to 36 months of age (American Psychiatric Association, 2000). Until recently, there has been much debate as to when children with ASC first begin to present with their difficulties. Retrospective reports, early videotapes, and parental reports have all suggested that, between 12 and 18 months of age, if not earlier, signs of difficulties in social communication, visual attention, and motor difficulties begin to present themselves (Rogers, 2009). Infant sibling studies (i.e., where the infant sibling of a child with autism is followed longitudinally from birth to 36 months of age) have provided much richer data on this topic (Zwaigenbaum et al., 2009). It now appears as though most children with ASC develop normally until 6 months of age, and there is then a slowing down in their social communication, as well as in cognitive and language skills over the following 12–18 months (Zwaigenbaum, 2010). Therefore, the most obvious time at which

difficulties begin to appear is between 12 and 18 months of age, whereas the full syndrome is not present until 24–36 months of age.

Difficulties in social communication are then an essential part of ASC. Such problems can be broken down into different subdomains, including social reciprocity, eye contact, smiling in response to another, directing attention, greeting, empathy, and offering and asking for comfort. Imitation, peer relationships, and social initiative with peers and adults are other key aspects of social interaction (Anderson, Oti, Lord, & Welch, 2009). Communication problems are seen in virtually all children with ASC (Fodstad, Matson, Hess, & Neal, 2009). These might include reduced babbling, speech delay (either of phrases or single words), and unusual speech patterns, such as echolalia, pronoun reversal, and making up words. There are significant difficulties in the pragmatics of communication, such as poor conversation skills, unusual inflection, and little expression of emotion in speech. In addition to these verbal communication difficulties, almost all children with ASD have nonverbal communication difficulties: They do not use gestures, will not point at objects close by or far away, and won't nod or shake their head.

There are, finally, many examples of repetitive stereotyped behaviors (Szatmari et al., 2006; Lam, Bodfish, & Piven, 2008; Richler, Huerta, Bishop, & Lord, 2010). These include preoccupations with parts of objects (e.g., playing with a toy but not in the way in which it was meant to be played). Fascinations with concrete sensory experiences, such as smell, sight, touch, and taste, are also common. Older children with ASC often have extremely intense, circumscribed interests, such as specific cartoons and shows on TV such as the Weather Channel, and unusual hobbies and interests, such as listening to thunderstorms or reading science fiction. Repetitive motor movements, such as flicking one's fingers in front of the eyes, flapping one's hands, or running back and forth in a certain pattern, are also common, particularly among younger children with ASC. Rituals, such as an insistence on doing things in a particular way, are also not uncommon and should be differentiated from resistance to change, which signifies children not wanting to go from one activity to another, particularly if they are interested in that activity. This is a common problem in young children in general and is often confused with ASC.

A lot of research has gone into trying to understand how to characterize cognitive delays so often seen in children with ASC. Delays in expressive and receptive language are common, but children with Asperger syndrome do not show such language problems (Williams, Botting, & Boucher, 2008). Indeed, Asperger syndrome is characterized by an absence of clinically significant cognitive and language delay (Woodbury-Smith, Klin, & Volkmar, 2005). Perhaps a more parsimonious explanation of cognitive difficulty that virtually all ASC children share is a difficulty with abstract, metaphorical thinking, as opposed to more rote thinking or concrete understanding, which they are able to do well (Williams, Goldstein, Minshew, 2006). The more complex the cognitive operation, the more abstract, the more metaphorical, the more difficulty the ASC child will have with learning that concept, with understanding it, and with being able to perform certain roles.

Another active area of research has focused on trying to understand the fundamental deficit associated with ASC. Various theories have been proposed and

studies undertaken to test the extent to which difficulties in joint attention, theory of mind (ToM), executive dysfunction, weak central coherence, and shifting and disengaging attention might be a unifying paradigm to understand children with ASC (Happé & Frith, 2006; Martin & McDonald, 2003; Miller, 2006; Landry & Bryson, 2004)). It now seems apparent that there will not be a single explanation or a single cognitive model for the disorder, but rather that different components of the condition might be associated with different cognitive models (Happé & Ronald, 2008). For example, a lack of ToM may be a good explanation for some of the social difficulties that children with ASC experience but some other model would need to be proposed for the preference of repetitive, stereotyped behaviors, such as weak central coherence (Mandy & Skuse, 2008).

References

- Anderson, D. K., Oti, R. S., Lord, C., & Welch K. (2009). Patterns of growth in adaptive social abilities among children with autism spectrum disorders. *Journal of Abnormal Child Psychology*, 37, 1019–1034.
- American Psychiatric Association (2000). *Diagnostic and Statistical Manual of Mental Disorders (4th ed.)*. Washington DC: American Psychiatric Association.
- Fernell, E., Hedvall, A., Norrelgen, F., Eriksson, M., Höglund-Carlsson, L., Barnevik-Olsson, M., ... Gillberg, C. (2010). Developmental profiles in preschool children with autism spectrum disorders referred for intervention. *Research in Developmental Disabilities*, 31, 790–799.
- Fodstad, J. C., Matson, J. L., Hess, J., & Neal, D. (2009). Social and communication behaviours in infants and toddlers with autism and pervasive developmental disordernot otherwise specified. *Developmental Neurorehabilitation*, 12, 152–157.
- Fombonne, E. (2005). Epidemiology of autistic disorder and other pervasive developmental disoders. *Journal of Clinical Psychiatry*, 66, *Suppl. 10*, 3–8.
- Georgiades, S., Szatmari, P., Zwaigenbaum, L., Duku, E., Bryson, S., Roberts, W., ... Mahoney, W. (2007). Structure of the autism symptom phenotype: A proposed multi-dimensional model. *Journal of the American Academy of Child and Adolescent Psychiatry*, 46, 188–196.
- Happé, F., & Frith, U. (2006). The weak coherence account: Detail-focused cognitive style in autism spectrum disorders. *Journal of Autism and Developmental Disorders*, 36, 5–25.
- Happé, F., & Ronald, A. (2008). The "Fractionable Autism Triad:" A review of evidence from behavioural, genetic, cognitive and neural research. *Neuropsychological Reviews*, 18, 287–304.
- Jones, C. R., Happé, F., Golden, H., Marsden, A. J., Tregay, J., Simonoff, E., ... Charman, T. (2009). Reading and arithmetic in adolescents with autism spectrum disorders: Peaks and dips in attainment. *Neuropsychology*, 23, 718–728.
- Lam, K. S., Bodfish, J. W., & Piven, J. (2008). Evidence for three subtypes of repetitive behavior in autism that differ in familiality and association with other symptoms. *Journal of Child Psychology and Psychiatry*, 49, 1193–1200.
- Landry, R., & Bryson, S. E. (2004). Impaired disengagement of attention in young children with autism. *Journal of Child Psychology and Psychiatry*, 45, 1115–1122.
- Lecavalier, L., Gadow, K. D., DeVincent, C. J., Houts, C., & Edwards, M. C. (2009). Deconstructing the PDD clinical phenotype: Internal validity of the DSM-IV. *Journal of Child Psychology and Psychiatry*, 50, 1246–1254.

This document is for personal use only. Reproduction or distribution is not permitted.

- Mandy, W. P., & Skuse, D. H. (2008). Research Review: What is the association between the social communication element of autism and repetitive interests, behaviours and activities? *Journal of Child Psychology and Psychiatry*, 49, 795–808.
- Martin, L., & McDonald, S. (2003). Weak coherence, no theory of mind or executive dysfunction? Solving the puzzle of pragmatic language disorders. *Brain and Language*, 85, 451–466.
- Matson, J. L., & Shoemaker, M. (2009). Intellectual disability and its relationship to autism spectrum disorders. *Research in Developmental Disabilities*, 30, 1107–1114.
- Miller, C. A. (2006). Developmental relationships between language and theory of mind. *American Journal of Speech and Language Pathology*, 15, 142–154.
- Richler, J., Huerta, M., Bishop, S. L., & Lord C. (2010). Developmental trajectories of restricted and repetitive behaviors and interest in children with autism spectrum disorders. *Development and Psychopathology*, 22, 55–69.
- Rogers, S.J. (2009). What are infant siblings teaching us about autism in infancy? *Autism Research*, 2, 125–137.
- Snow, A. V., Lecavalier, L., & Houts, C. (2008). The structure of the Autism Diagnostic Interview-Revised: Diagnostic and phenotypic implications. *Journal of Child Psychology and Psychiatry*, 50, 734–742.
- Szatmari, P., Georgiades, S., Bryson, S., Zwaigenbaum, L., Roberts, W., Mahoney. ... Tuff, L. (2006). Investigating the structure of the restricted, repetitive behaviours and interests domain of autism. *Journal of Child Psychology and Psychiatry*, 47, 582–590.
- Szatmari, P., Merette, C., Bryson, S. E., Thivierge, J., Roy, M. A., Cayer, M., & Maziade, M. (2002). Quantifying dimensions in autism: A factor-analytic study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41, 467–476.
- Williams, D, L,, Goldstein, G., & Minshew, N. J. (2006). Neuropsychologic functioning in children with autism: Further evidence for disordered complex information-processing. *Child Neuropsychology*, 12, 279–298.
- Williams, D., Botting, N., & Boucher, J. (2008). Language in autism and specific language impairment: Where are the links? *Psychological Bulletin*, 208, 944–963.
- Woodbury-Smith, M., Klin, A., & Volkmar F. (2005). Asperger's syndrome: A comparison of clinical diagnoses and those made according to the ICD-10 and DSM-IV. *Journal of Autism and Developmental Disorders*, 35, 235–240.
- Zwaigenbaum, L. (2010). Advances in the early detection of autism. *Current Opinion in Neurology*, 23, 97–102.
- Zwaigenbaum, L., Bryson, S., Lord, C., Rogers, S., Carter, A., Carver, L., ... Yirmiya, N. (2009). Clinical assessment and management of toddlers with suspected autism spectrum disorder: Insights from studies of high-risk infants. *Pediatrics*, 123, 1383–1391.

What Are the Differences (and Similarities) Between Autism, Asperger Syndrome, and PDD-NOS?

Fred R. Volkmar

This is an excellent question with a short and then a longer answer. The short answer is that, as currently defined in DSM-IV-TR (American Psychiatric Association, 2000), autism is defined on the basis of characteristic difficulties in the areas of social interaction, communication and play and restricted/unusual interests and behaviors. Asperger disorder differs from autism in that early language ability is relatively preserved, while pervasive developmental disorder not otherwise specified (PDD-NOS) is a category used for individuals with problems suggestive of autism but not meeting full criteria for that condition. All these conditions are currently recognized as members of the pervasive developmental disorder (PDD) class – a term that was coined in 1980 when autism was first included as an officially recognized diagnosis. In practical terms, PDD means the same thing as autism spectrum disorder (Volkmar & Klin, 2005).

Of these disorders, autism has been far and away the most frequently studied and, somewhat paradoxically, the least studied disorder, PDD-NOS, is the most frequent. This disparity in research reflects an understandable focus on the more "prototypic" disorder. However, interest in the broader spectrum of autistic-like conditions has increased dramatically in recent years, and it likely includes a number of subtypes, though none of these are, as yet, officially recognized (Towbin, 2005).

The condition termed "Asperger syndrome" was first described in 1944, the year after Kanner's first description of autism. In the initial cases described by Hans Asperger, the children (all boys) had remarkable trouble in social interaction and weak motor skills, but good verbal abilities. They also exhibited circumscribed interest in various topics (e.g., trains, rocks, the weather, American gangsters), and this interest interfered with their abilities to learn other skills (McPartland & Klin, 2006). The issue of whether or not Asperger syndrome is truly different from autism or represents, essentially, more cognitively able