

# Mnestische Blockaden als Stress- und Traumafolgen

Hans J. Markowitsch

Universität Bielefeld

## Literatur

- Aggleton, J. P. & Mishkin, M. (1986). The amygdala: Sensory gateway to the emotions. In R. Plutchik & H. Kellerman (Eds.), *Emotion. Theory, research, and experience. Vol. 3 Biological foundations of emotion*. New York: Academic Press.
- Aichner, F. (1984). Die Phänomenologie des nach Klüver und Bucy benannten Syndroms beim Menschen. *Fortschritte der Neurologie, Psychiatrie und ihrer Grenzgebiete*, 52, 375–397.
- Aldenhoff, J. (1997). Überlegungen zur Psychobiologie der Depression. *Nervenarzt*, 68, 379–389.
- Baranowsky, A. B., Young, M., Johnson-Douglas, S., Williams-Keller, L. & McCarrey, M. (1998). PTSD transmission: A review of secondary traumatization in holocaust survivor families. *Canadian Psychology/Psychologie canadienne*, 39, 247–256.
- Barbarotto, R., Laiacona, M. & Cocchini, G. (1996). A case of simulated, psychogenic or focal pure retrograde amnesia: Did an entire life become unconscious? *Neuropsychologia*, 34, 575–585.
- Bennett, A. H. (1878). Case of cerebral tumour-symptoms simulating hysteria. *Brain*, 1, 114–120.
- Binder, L. M., Storzbach, D., Anger, W. K., Campbell, K. A. & Rohlman, D. S. and other members of the Portland Environmental Hazards Research Center (1999). Subjective cognitive complaints, affective distress and objective cognitive performance in Persian gulf war veterans. *Archives of Clinical Neuropsychology*, 14, 531–536.
- Bremner, J. D. (1999). Does stress damage the brain? *Biological Psychiatry*, 45, 797–805.
- Bremner, J. D., Krystal, J. H., Southwick, S. M. & Charney, D. S. (1995 a). Functional neuroanatomical correlates of the effects of stress on memory. *Journal of Traumatic Stress*, 8, 527–553.
- Bremner, J. D., Randall, P., Scott, T. M., Bronen, R. A., Seibyl, J. P., Southwick, S. M., Delaney, R. C., McCarthy, G., Charney, D. S. & Innis, R. B. (1995 b). MRI-based measurement of hippocampal volume in patients with combat-related posttraumatic stress disorder. *American Journal of Psychiatry*, 152, 973–981.
- Bremner, J. D., Randall, P., Scott, T. M., Capelli, S., Delaney, R., McCarthy, G. & Charney, D. S. (1995 c). Deficits in short-term memory in adult survivors of childhood abuse. *Psychiatry Research*, 59, 97–107.
- Bremner, J. D., Randall, P., Vermetten, E., Staib, L., Bronen, R. A., Mazure, C., Capelli, S., McCarthy, G., Innis, R. B. & Charney, D. S. (1997 b). Magnetic resonance imaging-based measurement of hippocampal volume in posttraumatic stress disorder related to childhood physical and sexual abuse – a preliminary report. *Biological Psychiatry*, 41, 23–32.
- Bremner, J. D., Staib, L. H., Kaloupek, D., Southwick, S. M., Soufer, R. & Charney, D. S. (1999). Neural correlates of exposure to traumatic pictures and sound in Vietnam combat veterans with and without posttraumatic stress disorder: a positron emission tomography study. *Biological Psychiatry*, 45, 806–816.
- Brewin, C. R., Dalgleish, T. & Joseph, S. (1996). A dual representation theory of posttraumatic stress disorder. *Psychological Review*, 103, 670–686.
- Buckner, R. L. (1998). On the relations among priming, conscious recollection, and intentional retrieval: Evidence from neuroimaging research. *Neurobiology of Learning and Memory*, 70, 284–303.
- Cacioppo, J. T. (1994). Social neuroscience: Autonomic, neuroendocrine, and immune responses to stress. *Psychophysiology*, 31, 113–128.
- Cahill, L., Babinsky, R., Markowitsch, H. J. & McGaugh, J. L. (1995). Involvement of the amygdaloid complex in emotional memory. *Nature*, 377, 295–296.
- Carlier, I. V. E., Lamberts, R. D., Fouwels, A. J. & Gersons, B. P. R. (1996). PTSD in relation to dissociation in traumatized police officers. *American Journal of Psychiatry*, 153, 1325–1328.
- Carney, M. W. P., Charty, T. K. N., Robotis, P. & Childs, A. (1987). Ganser syndromes and its management. *British Journal of Psychiatry*, 151, 697–700.
- Chu, B. L., Frey, L. M., Ganzel, B. L. & Matthews, J. A. (1999). Memories of childhood abuse: dissociation, amnesia, and corroboration. *American Journal of Psychiatry*, 156, 749–755.
- Cramon, D. Y. von & Markowitsch, H. J. (2000). The septum and human memory. In R. Numan (Ed.), *The behavioral neuroscience of the septal area* (in press). Berlin: Springer.

- Damasio, A.R. (1995). *Descartes' Irrtum*. München: List.
- Dawson, G., Frey, K., Panagiotides, H., Yamada, E., Hessel, D. & Osterling, J. (1999). Infants of depressed mothers exhibit atypical frontal electrical brain activity during interactions with mother and with a familiar, nondepressed adult. *Child Development, 70*, 1058–1066.
- De Renzi, E., Lucchelli, F., Muggia, S. & Spinnler, H. (1997). Is memory without anatomical damage tantamount to a psychogenic deficit? The case of pure retrograde amnesia. *Neuropsychologia, 35*, 781–794.
- Dimsdale, J. E. (1998). President Lincoln: An instance of stress and aging. *Psychosomatic Medicine, 60*, 2–6.
- Ehlers, A. (1997). Ein kognitives Modell der chronischen Posttraumatischen Belastungsstörung. In H. Mandl (Hrsg.), *Bericht über den 40. Kongreß der Deutschen Gesellschaft für Psychologie in München 1996* (S. 580–585). Göttingen: Hogrefe.
- Ehlers, A. & Clark, D. M. (2000). A cognitive model of post-traumatic stress disorder. *Behaviour Research and Therapy, 38*, 319–345.
- Eisen, S. A., Neuman, R., Goldberg, J., True, W. R., Rice, J., Scherrer, J. F. & Lyons, M. J. (1998). Contribution of emotionally traumatic events and inheritance to the report of current physical health problems in 4042 Vietnam era veteran twin pairs. *Psychosomatic Medicine, 60*, 533–539.
- Epstein, R. S., Fullerton, C. S. & Ursano, R. J. (1998). Posttraumatic stress disorder following an air disaster: A prospective study. *American Journal of Psychiatry, 155*, 934–938.
- Favaro, A., Rodella, F. C., Colombo, G. & Santonastaso, P. (1999). Post-traumatic stress disorder and major depression among Italian Nazi concentration camp survivors: a controlled study 50 years later. *Psychological Medicine, 29*, 87–95.
- Fink, G. R., Markowitsch, H. J., Reinkemeier, M., Bruckbauer, T., Kessler, J. & Heiss, W.-D. (1996). Cerebral representation of one's own past: neural networks involved in autobiographical memory. *Journal of Neuroscience, 16*, 4275–4282.
- Fletcher, P. C., Frith, C. D. & Rugg, M. D. (1997). The functional neuroanatomy of episodic memory. *Trends in Neurosciences, 20*, 213–218.
- Foa, E. B. & Hearst-Ikeda, D. (1996). Emotional dissociation in response to trauma: an information processing approach. In L. K. Michelson & W. J. Ray (Eds.), *Handbook of dissociation: theoretical, empirical and research perspectives* (pp. 207–224). New York: Plenum Press.
- Franzen, E. A. & Myers, R. E. (1973). Neural control of social behavior: Prefrontal and anterior temporal cortex. *Neuropsychologia, 11*, 141–157.
- Goodman, S. H. & Gotlib, I. H. (1999). Risk for psychopathology in the children of depressed mothers: a developmental model for understanding mechanisms of transmission. *Psychological Review, 106*, 458–490.
- Griffiths, D., Dickinson, A. & Clayton, N. (1999). Episodic memory: what can animals remember about their past? *Trends in Cognitive Sciences, 3*, 74–80.
- Gurvits, T. V., Gilbertson, M. W., Lasko, N. B., Tarhan, A. S., Smeon, D., Macklin, M. L., Orr, S. P. & Pitman, R. K. (2000). Neurologic soft signs in chronic posttraumatic stress disorder. *Archives of General Psychiatry, 57*, 181–186.
- Gurvits, T. V., Shenton, M. E., Hokama, H., Ohta, H., Lasko, N. B., Gilbertson, M. W., Orr, S. P., Kikinis, R., Jolesz, F. A., McCarley, R. W. & Pitman, R. K. (1996). Magnetic resonance imaging study of hippocampal volume in chronic, combat-related posttraumatic stress disorder. *Biological Psychiatry, 40*, 1091–1099.
- Haas, H. S. & Schauenstein, K. (1997). Neuroimmunomodulation via limbic structures – The neuroanatomy of Psychoimmunology. *Progress in Neurobiology, 51*, 195–222.
- Hamner, M. B., Frueh, B. C., Ulmer, H. G. & Arana, G. W. (1999). Psychotic features and illness severity in combat veterans with chronic posttraumatic stress disorder. *Biological Psychiatry, 45*, 846–852.
- Härtling, C. & Markowitsch, H. J. (1996). Different degrees of impairment in recall/recognition and anterograde/retrograde memory performance in a transient global amnesic case. *Neurocase, 2*, 45–49.
- Heim, C., Ehler, U., Hanker, J. P. & Hellhammer, D. H. (1998). Abuse-related posttraumatic stress disorder and alterations of the hypothalamic-pituitary-adrenal axis in women with chronic pelvic pain. *Psychosomatic Medicine, 60*, 309–318.
- Hoehn, T., Braune, S., Scheibe, G. & Albus, M. (1997). Physiological, biochemical and subjective parameters in anxiety patients with panic disorder during stress exposure as compared with healthy controls. *European Archives of Psychiatry and Clinical Neuroscience, 247*, 264–274.
- Holtz, T. H. (1998). Refugee trauma versus torture trauma: A retrospective controlled cohort study of Tibetan refugees. *Journal of Nervous and Mental Disease, 186*, 24–34.
- Iidaka, T., Nakajima, T., Suzuki, Y., Okazaki, A., Maehara, T. & Shiraishi, H. (1997). Quantitative regional cerebral blood flow measured by Tc-99m HMPAO SPECT in mood disorder. *Psychiatry Research: Neuroimaging Section, 68*, 143–154.
- Jacobsen, P. B., Widows, M. R., Hann, D. M., Andrykowski, M. A., Kronish, L. E. & Fields, K. K. (1998). Posttraumatic stress disorder symptoms after bone marrow transplantation for breast cancer. *Psychosomatic Medicine, 60*, 366–371.
- Jenkins, M. A., Langlais, P. J., Delis, D. & Cohen, R. (1998). Learning and memory in rape victims with posttraumatic stress disorder. *American Journal of Psychiatry, 155*, 278–279.
- Jetter, J., Poser, U., Freeman, R. B. Jr. & Markowitsch, H. J. (1986). A verbal long term memory deficit in frontal lobe damaged patients. *Cortex, 22*, 229–242.
- Karam, E. G., Howard, D. B., Karam, A. N., Ashkar, A., Shaaya, M., Melhem, N. & El-Khoury, N. (1998). Major depression and external stressors: the Lebanon wars. *European Archives of Psychiatry and Clinical Neuroscience, 248*, 225–230.
- Kendler, K. S., Karkowski, L. M. & Prescott, C. A. (1999). Causal relationship between stressful life events and the onset of major depression. *American Journal of Psychiatry, 156*, 837–841.
- Kessler, J., Markowitsch, H. J., Huber, R., Kalbe, E., Weber-Luxenburger, G. & Kolk, P. (1997). Massive and persistent anterograde amnesia in the absence of detectable brain damage – anterograde psychogenic amnesia or gross reduction in sustained effort? *Journal of Clinical and Experimental Neuropsychology, 19*, 604–614.

- Klüver, H. & Bucy, P. C. (1937). „Psychic blindness“ and other symptoms following bilateral lobectomy in rhesus monkeys. *American Journal of Physiology*, 119, 352–353.
- Koren, D., Arnon, I. & Klein, E. (1999). Acute stress response and posttraumatic stress disorder in traffic accident victims: A one-year prospective, follow-up study. *American Journal of Psychiatry*, 156, 367–373.
- Krauss, S. (1930). Untersuchungen über Aufbau und Störung der menschlichen Handlung. I. Teil: Die Korsakowsche Störung. *Archiv für die gesamte Psychologie*, 77, 649–692.
- Kroll, N., Markowitsch, H. J., Knight, R. & von Cramon, D. Y. (1997). Retrieval of old memories – the temporo-frontal hypothesis. *Brain*, 120, 1377–1399.
- Kuyken, W. & Brewin, C. R. (1995). Autobiographical memory functioning in depression and reports of early abuse. *Journal of Abnormal Psychology*, 104, 585–591.
- Layton, B. S. & Wardi-Zonna, K. (1995). Posttraumatic stress disorder with neurogenic amnesia for the traumatic event. *Clinical Neuropsychologist*, 9, 2–10.
- LeDoux, J. (1998). *The emotional brain*. New York: Touchstone.
- Leserman, J., Li, Z., Hu, Y. B. & Drossman, D. A. (1998). How multiple types of stressors impact on health. *Psychosomatic Medicine*, 60, 175–181.
- Loftus, E. F. & Burns, T. E. (1982). Mental shock can produce retrograde amnesia. *Memory & Cognition*, 10, 318–323.
- Lupien, S. J. & McEwen, B. S. (1997). The acute effects of corticosteroids on cognition: integration of animal and human model studies. *Brain Research Reviews*, 24, 1–27.
- Magariños, A. M., Verdugo, J. M. G. & McEwen, B. S. (1997). Chronic stress alters synaptic terminal structure in hippocampus. *Proceedings of the National Academy of Sciences of the USA*, 94, 14002–14008.
- Maguire, E. A., Gadian, D. G., Johnsrude, I. S., Good, C. D., Ashburner, J., Frackowiak, R. S. J. & Frith, C. D. (2000). Navigation-related structural change in the hippocampi of taxi drivers. *Proceedings of the National Academy of Sciences of the USA*, 97, 4398–4403.
- Mai, F.M. (1995). „Hysteria“ in clinical neurology. *Canadian Journal of the Neurological Sciences*, 22, 101–110.
- Markowitsch, H. J. (1988). Anatomical and functional organization of the primate prefrontal cortical system. In H. D. Steklis & J. Erwin (Eds.), *Comparative primate biology, Vol. IV: Neurosciences* (pp. 99–153). New York: Alan R. Liss.
- Markowitsch, H. J. (Ed.). (1990). *Transient global amnesia and related disorders*. Toronto: Hogrefe & Huber Publs.
- Markowitsch, H. J. (1992). *Intellectual functions and the brain. An historical perspective*. Toronto: Hogrefe & Huber Publs.
- Markowitsch, H. J. (1994 a). The memory storehouse. *Trends in Neurosciences*, 17, 513.
- Markowitsch, H. J. (1994b). Effects of emotion and arousal on memory processing by the brain. In J. Delacour (Ed.), *Memory, learning and the brain* (pp. 210–240). Singapore: World Scientific Publ. Comp.
- Markowitsch, H. J. (1995). Which brain regions are critically involved in the retrieval of old episodic memory? *Brain Research Reviews*, 21, 117–127.
- Markowitsch, H. J. (1996a). Organic and psychogenic retrograde amnesia: two sides of the same coin? *Neurocase*, 2, 357–371.
- Markowitsch, H. J. (1996b). Der Netzwerkbegriff – historisch beleuchtet. In M. Lasar (Hrsg.), *Netzwerktheorie – Möglichkeiten für die psychiatrische Wissenschaft* (S. 9–31). Lengerich: Pabst Verlag.
- Markowitsch, H. J. (1997 a). The functional neuroanatomy of episodic memory retrieval. *Trends in Neurosciences*, 20, 557–558.
- Markowitsch, H. J. (1997 b). Varieties of memory: Systems, structures, mechanisms of disturbance. *Neurology, Psychiatry and Brain Sciences*, 5, 37–56.
- Markowitsch, H. J. (1998). The mnesic block syndrome: Environmentally induced amnesia. *Neurology, Psychiatry, and Brain Research*, 6, 73–80.
- Markowitsch, H. J. (1999 a). *Gedächtnisstörungen*. Stuttgart: Kohlhammer.
- Markowitsch, H. J. (1999b). Funktionelle Anatomie von Bewußtsein und Bewußtseinsstörungen. In H. Hopf, G. Deuschl, H. C. Diener & H. Reichmann (Hrsg.), *Neurologie in Praxis und Klinik* (S. 60–65). Berlin: Springer.
- Markowitsch, H. J. (1999 c). The limbic system. In R. Wilson & F. Keil (Eds.), *The cognitive sciences* (pp. 470–472). Cambridge, MA: MIT Press.
- Markowitsch, H. J. (1999 d). Functional neuroimaging correlates of functional amnesia. *Memory*, 7, 561–583.
- Markowitsch, H. J. (1999 e). Neuroimaging and mechanisms of brain function in psychiatric disorders. *Current Opinion in Psychiatry*, 12, 331–337.
- Markowitsch, H. J. (1999 f). Stress-related memory disorders. In L.-G. Nilsson & H. J. Markowitsch (Eds.), *Cognitive neuroscience of memory* (pp. 193–211). Göttingen: Hogrefe.
- Markowitsch, H. J. (2000 a). Memory and amnesia. In M.-M. Mesulam (Ed.), *Principles of cognitive and behavioral neurology* (pp. 257–293). New York: Oxford Univ. Press.
- Markowitsch, H. J. (2000 b). Differential contribution of the right and left amygdala to affective information processing. *Behavioural Neurology*, 11, 233–244.
- Markowitsch, H. J. (2000 c). Die Anfälligkeit autobiographischer Erinnerung gegenüber Stress: eine neuropsychologische Perspektive. In M. Neumann (Hrsg.), *Erzählte Identitäten* (S. 215–229). München: W. Fink.
- Markowitsch, H. J. (2000 d). Anatomical bases of memory disorders. In M. S. Gazzaniga (Ed.), *The cognitive neurosciences* (2nd ed.) (pp. 781–795). Cambridge, MA: MIT Press.
- Markowitsch, H. J. (2000 e). Repressed memories. In E. Tulving (Ed.), *Memory, consciousness, and the brain: The Tallinn conference* (pp. 319–330). Philadelphia, PA: Psychology Press.
- Markowitsch, H. J. (2000 f). Functional amnesia. *Revue de Neuropsychologie*, 10, 175–198.

- Markowitsch, H. J., Calabrese, P., Fink, G. R., Durwen, H. F., Kessler, J., Härtling, C., König, M., Mirzaian, E. B., Heiss, W.-D., Heuser, L. & Gehlen, W. (1997a). Impaired episodic memory retrieval in a case of probable psychogenic amnesia. *Psychiatry Research: Neuroimaging Section*, *74*, 119–126.
- Markowitsch, H. J., Calabrese, P., Neufeld, H., Gehlen, W. & Durwen, H. F. (1999a). Retrograde amnesia for famous events and faces after left fronto-temporal brain damage. *Cortex*, *35*, 243–252.
- Markowitsch, H. J., Calabrese, P., Würker, M., Durwen, H. F., Kessler, J., Babinsky, R., Brechtelsbauer, D., Heuser, L. & Gehlen, W. (1994). The amygdala's contribution to memory – A PET-study on two patients with Urbach-Wiethe disease. *NeuroReport*, *5*, 1349–1352.
- Markowitsch, H. J., Fink, G. R., Thöne, A. I. M., Kessler, J. & Heiss, W.-D. (1997b). Persistent psychogenic amnesia with a PET-proven organic basis. *Cognitive Neuropsychiatry*, *2*, 135–158.
- Markowitsch, H. J., Kessler, J., Frölich, L., Schneider, B. & Maurer, K. (1999b). Mnestic block syndrome. *Cortex*, *35*, 219–230.
- Markowitsch, H. J., Kessler, J., Kalbe, E. & Herholz, K. (1999c). Functional amnesia and memory consolidation. A case of persistent anterograde amnesia with rapid forgetting following whiplash injury. *Neurocase*, *5*, 189–200.
- Markowitsch, H. J., Kessler, J., Van der Ven, C., Weber-Luxemburger, G. & Heiss, W.-D. (1998). Psychic trauma causing grossly reduced brain metabolism and cognitive deterioration. *Neuropsychologia*, *36*, 77–82.
- Markowitsch, H. J., Kessler, J., Weber-Luxemburger, G., Van der Ven, C. & Heiss, W.-D. (2000). Neuroimaging and behavioral correlates of recovery from 'mnestic block syndrome' and other cognitive deteriorations. *Neuropsychiatry, Neuropsychology, and Behavioral Neurology*, *13*, 60–66.
- Markowitsch, H. J., Reinkemeier, M., Thiel, A., Kessler, J., Koyuncu, A. & Heiss, W.-D. (1999d). Autobiographical memory activates the right amygdala and temporo-frontal link – A PET study. *Acta Neurobiologiae Experimentalis*, *59*, 219.
- Markowitsch, H. J., Thiel, A., Kessler, J. & Heiss, W.-D. (1997c). Ecphorizing semi-conscious episodic information via the right temporopolar cortex – a PET study. *Neurocase*, *3*, 445–449.
- Mason, J., Weizman, R., Laor, N., Wang, S., Schujovitsky, A., Abramovitz-Schneider, P., Feiler, D. & Charney, D. (1996). Serum triiodothyronine elevation in Israeli combat veterans with posttraumatic stress disorder: a cross-cultural study. *Biological Psychiatry*, *39*, 835–838.
- Max, J. E., Castillo, C. S., Robin, D. A., Lindgren, S. D., Smith, W. L., Sato, Y. & Arndt, S. (1998). Posttraumatic stress symptomatology after childhood traumatic brain injury. *Journal of Nervous and Mental Disease*, *186*, 589–596.
- McEwen, B. S. (1999). Stress and hippocampal plasticity. *Annual Review of Neuroscience*, *22*, 105–122.
- McGaugh, J. L. (2000). Memory – a century of consolidation. *Science*, *287*, 248–251.
- McGaugh, J. L., Cahill, L. & Roozendaal, B. (1996). Involvement of the amygdala in memory storage: Interaction with other brain systems. *Proceedings of the National Academy of Sciences of the USA*, *93*, 13508–13514.
- Nadel, L. & Jacobs, W. J. (1998). Traumatic memory is special. *Current Directions in Psychological Science*, *7*, 154–157.
- Newcomer, J. W., Selke, G., Melson, A. K., Hershey, T., Craft, S., Richards, K. & Alderson, A. L. (1999). Decreased memory performance in healthy humans induced by stress-level cortisol treatment. *Archives of General Psychiatry*, *56*, 527–533.
- North, C. S., Smith, E. M. & Spitznagel, E. L. (1997). One-year follow-up of survivors of a mass shooting. *American Journal of Psychiatry*, *154*, 1696–1702.
- O'Brien, J. T. (1997). The 'glucocorticoid cascade' hypothesis in man. *British Journal of Psychiatry*, *170*, 199–201.
- Os, J. van & Selten, J.-P. (1998). Prenatal exposure to maternal stress and subsequent schizophrenia. *British Journal of Psychiatry*, *172*, 324–326.
- Parks, E. D. & Balon, R. (1995). Autobiographical memory for childhood events: Patterns of recall in psychiatric patients with a history of alleged trauma. *Psychiatry*, *58*, 199–208.
- Pitman, R. K. (1988). Post-traumatic stress disorder, conditioning, and network theory. *Psychiatric Annals*, *18*, 182–189.
- Pruessner, J. C., Hellhammer, D. H. & Kirschbaum, C. (1999). Burnout, perceived stress, and cortisol responses to awakening. *Psychosomatic Medicine*, *61*, 197–204.
- Quervain, D. J.-F. de, Roozendaal, B. & McGaugh, J. L. (1998). Stress and glucocorticoids impair retrieval of long-term spatial memory. *Nature*, *394*, 787–790.
- Ray, W. S. (1937). The relationship of retroactive inhibition, retrograde amnesia and the loss of recent memory. *Psychological Review*, *44*, 339–345.
- Reinkemeier, M., Markowitsch, H. J., Rauch, B. & Kessler, J. (1997). Differential impairments in recalling people's names: A case study in search of neuroanatomical correlates. *Neuropsychologia*, *35*, 677–684.
- Röhrenbach, C. & Markowitsch, H. J. (1997). Störungen im Bereich exekutiver und überwachender Funktionen – der Präfrontalbereich. In H. J. Markowitsch (Hrsg.), *Enzyklopädie der Psychologie (C/1/2: Klinische Neuropsychologie)* (S. 329–493). Göttingen: Hogrefe.
- Roozendaal, B., Portillo Marquez, G. & McGaugh, J. L. (1996). Basolateral amygdala lesions block glucocorticoid-induced modulation of memory for spatial learning. *Behavioral Neuroscience*, *110*, 1074–1083.
- Roy, M. J., Koslowe, P. A., Kroenke, K. & Magruder, C. (1998). Signs, symptoms, and III-defined conditions in Persian gulf war veterans: Findings from the comprehensive clinical evaluation program. *Psychosomatic Medicine*, *60*, 663–668.
- Russell, W. R. & Nathan, P. W. (1946). Traumatic amnesia. *Brain*, *69*, 280–300.
- Sachsse, U., Eßlinger, K. & Schilling, L. (1997). Vom Kindheitstrauma zur schweren Persönlichkeitsstörung. *Fundamenta Psychiatrica*, *11*, 12–20.
- Sapolsky, R. M. (1994). *Why Zebra's don't get ulcers*. New York: Freeman.
- Sapolsky, R. M. (1996a). Why stress is bad for your brain. *Science*, *273*, 749–750.

- Sapolsky, R. M. (1996b). Stress, glucocorticoids, and damage to the nervous system: The current state of confusion. *Stress*, 1, 1–19.
- Schacter, D. L., Koutstaal, W. & Norman, K. A. (1996). Can cognitive neuroscience illuminate the nature of traumatic childhood memories? *Current Opinion in Neurobiology*, 6, 207–214.
- Schneider, K. (1928). Die Störungen des Gedächtnisses. In O. Bumke (Hrsg.), *Handbuch der Geisteskrankheiten (Vol. 1)* (S. 508–529). Berlin: Springer.
- Semon, R. (1904). *Die Mneme als erhaltendes Prinzip im Wechsel des organischen Geschehens*. Leipzig: Wilhelm Engelmann.
- Soufer, R., Bremner, J. D., Arrighi, J. A., Cohen, I., Zaret, B. L., Burg, M. M. & Goldman-Rakic, P. (1998). Cerebral cortical hyperactivation in response to mental stress in patients with coronary artery disease. *Proceedings of the National Academy of Sciences of the USA*, 95, 6454–6459.
- Southwick, S. M., Krystal, J. H., Morgan, C. A., Johnson, D., Nagy, L. M., Nicolaou, A., Heninger, G. R. & Charney, D. S. (1993). Abnormal noradrenergic function in post-traumatic stress disorder. *Archives of General Psychiatry*, 50, 266–274.
- Southwick, S. M., Morgan III, A., Nicolaou, A. L. & Charney, D. S. (1997). Consistency of memory for combat-related traumatic events in veterans of operation desert storm. *American Journal of Psychiatry*, 154, 173–177.
- Spivak, B., Vered, Y., Graff, E., Blum, I., Mester, R. & Weizman, A. (1999). Low platelet-poor plasma concentrations of serotonin in patients with combat-related posttraumatic stress disorder. *Biological Psychiatry*, 45, 840–845.
- Starkstein, S. E., Fedoroff, P., Berthier, M. L. & Robinson, R. G. (1991). Manic-depressive and pure manic states after brain lesions. *Biological Psychiatry*, 29, 149–158.
- Sutker, P. B., Winstead, D. K., Galina, Z. H. & Allain, A. N. (1991). Cognitive deficits and psychopathology among former prisoners of war and combat veterans of the Korean conflict. *American Journal of Psychiatry*, 148, 67–72.
- Teicher, M. H., Glod, C. A., Surrey, J. & Swett, C. (1993). Early childhood abuse and limbic system ratings in adult psychiatric outpatients. *Journal of Neuropsychiatry and Clinical Neurosciences*, 5, 301–306.
- Thomas-Antérion, C. & Truche, A. (1998). Stress, anxiété et mémoire. *La Revue de Gériatrie*, 23, 723–728.
- Tulving, E. (1972). Episodic and semantic memory. In E. Tulving & W. Donaldson (Eds.), *Organization of memory* (pp. 381–403). New York: Academic Press.
- Tulving, E. (1983). *Elements of Episodic Memory*. Clarendon Press, Oxford.
- Tulving, E. (1995). Organization of memory: Quo vadis. In M. S. Gazzaniga (Ed.), *The cognitive neurosciences* (pp. 839–847). Cambridge, MA: MIT Press.
- Tulving, E. & Markowitsch, H. J. (1997). Memory beyond the hippocampus. *Current Opinion in Neurobiology*, 7, 209–216.
- Tulving, E. & Markowitsch, H. J. (1998). Episodic and declarative memory: Role of the hippocampus. *Hippocampus*, 8, 198–204.
- Van der Horst, L. (1932). Über die Psychologie des Korsakow-syndroms. *Monatsschrift für Psychiatrie und Neurologie*, 83, 65–94.
- van der Kolk, B. A. (1994). The body keeps the score: Memory and the evolving psychobiology of posttraumatic stress. *Harvard Review of Psychiatry*, 1, 253–265.
- van der Kolk, B. A., van der Hart, O. & Marmar, C. R. (1996). Dissociation and information processing in posttraumatic stress disorder. In B. A. van der Kolk, A. C. McFarlane & L. Weisaeth (Eds.), *Traumatic stress: The effects of overwhelming experience on mind, body, and society* (pp. 303–327). New York: Guilford Press.
- Vasterling, J. J., Brailey, K., Constans, J. I. & Sutker, P. B. (1998). Attention and memory in posttraumatic stress disorder. *Neuropsychology*, 12, 125–133.
- Wagner, D., Heinrichs, M. & Ehlert, U. (1998). Prevalence of symptoms of posttraumatic stress disorder in German professional firefighters. *American Journal of Psychiatry*, 155, 1727–1732.
- Wheeler, M. A., Stuss, D. T. & Tulving, E. (1997). Towards a theory of episodic memory. The frontal lobes and autonoetic consciousness. *Psychological Bulletin*, 121, 331–354.
- Widom, C. S. (1999). Posttraumatic stress disorder in abused and neglected children grown up. *American Journal of Psychiatry*, 156, 1223–1229.
- Yehuda, R., Giller, E. L. & Mason, J. W. (1993). Psychoneuroendocrine assessment of posttraumatic stress disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 17, 541–550.
- Yehuda, R., Schmeidler, J., Wainberg, M., Binder-Brynes, K. & Duvdevani, T. (1998). Vulnerability to posttraumatic stress disorder in adult offspring of holocaust survivors. *American Journal of Psychiatry*, 155, 1163–1171.
- Ziehen, T. (1908). *Das Gedächtnis*. Berlin: A. Hirschwald.

Manuskript eingereicht: 12. 1. 2000  
 Manuskript angenommen: 26. 6. 2000

Prof. Dr. Hans J. Markowitsch

Physiologische Psychologie  
 Universität Bielefeld  
 Postfach 10 01 31  
 D-33501 Bielefeld  
 E-Mail: hjmarkowitsch@uni-bielefeld.de